
### **Art Approval Form**

Client: XXXX Invoice #: XXX



ITEM COLOR IMPRINT COLOR

XXXX

ITEM DESCRIPTION IMPRINT TYPE

AA-87BA Snapback-Closing Cap EMBROIDERY

#### **Art Guidelines**

Positive Imprint – 6 pt Minimum.....

Negative Imprint – 8 pt Minimum.....

Line Weight, Positive Lines – .5 pt Minimum

Line Weight, Negative Lines - .75 pt Minimum

Registered or Trademark Symbols – 8 pt Width Minimum

Ornate and display type faces will be printed on a case-by-case basis.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

# Color & Size Variance

All PMS colors are printed in RGB and only near tonal value can be achieved

This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.

Sample

Sample


- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.


PROOF BY

XXX

### **Art Approval Form**

Client: XXXX Invoice #: XXX





**COMPOSITE NOT ACTUAL SIZE** 

ITEM COLOR **IMPRINT COLOR** 

XXXX

XXXX

**ITEM** 

**DESCRIPTION** 

**IMPRINT TYPE** 

AA-87BA

**Snapback-Closing Cap** 

**EMBROIDERY** 

Ornate and display type faces

#### **Art Guidelines**

Positive Imprint – 6 pt Minimum.....

Negative Imprint – 8 pt Minimum.....

Sample Sample Sample

Sample

will be printed on a case-by-case basis.

Serif & Italic Types – 10 pt Minimum.....

Line Weight, Positive Lines – .5 pt Minimum

Line Weight, Negative Lines - .75 pt Minimum Registered or Trademark Symbols – 8 pt Width Minimum

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

# Color & Size


All PMS colors are printed in RGB and only near tonal value can be achieved

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.

**PROOF BY** 

### **Art Approval Form**

Client: XXXX Invoice #: XXX



ITEM COLOR

XXXX

IMPRINT COLOR

ITEM DESCRIPTION IMPRINT TYPE

AA-87BA Snapback-Closing Cap EMBROIDERY

**NOT ACTUAL SIZE** 

Art Guidelines

Positive Imprint – 6 pt Minimum.....

Negative Imprint – 8 pt Minimum.....

Serif & Italic Types – 10 pt Minimum...... Line Weight, Positive Lines – .5 pt Minimum

Line Weight, Negative Lines - .75 pt Minimum

Registered or Trademark Symbols – 8 pt Width Minimum

Sample Sample

Sample



Ornate and display type faces will be printed on a case-by-case basis.

XXXX

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

# Color & Size Variance

All PMS colors are printed in RGB and only near tonal value can be achieved

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.

PROOF BY